Annex B - Draft production standards

The tables below set out draft standards indicating possible requirements to be met for each tier.

Pigs

Metric	Lowest tier	\rightarrow	\rightarrow	\rightarrow	Highest tier
Stocking density	Not specified	The unobstructed floor area available to each weaner or rearing pig reared in a group must be at least— (a)0.15 m ² for each pig where the average weight of the pigs in the group is 10 kg or less; (b)0.20 m ² for each pig where the average weight of the pigs in the group is more than 10 kg, but less than or equal to 20 kg;	Minimum allowances for growing pigs in indoor systems/outdoor systems - Liveweight (kg) Total area (m ²) 10 = 0.15/0.5 20 = 0.225/0.5 30 = 0.3/0.5 40 = 0.4/0.73 50 = 0.47/1.3 60 = 0.55/1.5 70 = 0.61/1.5 80 = 0.675/1.67 90 = 0.715/1.67 100 = 0.75/1.72 110 = 0.8/1.72 Growing/finishing pigs in straw yards -	Minimum allowances for growing pigs in indoor systems/outdoor systems - Liveweight (kg) Total area (m ²) 10 = 0.15/0.5 20 = 0.225/0.5 30 = 0.3/0.5 40 = 0.4/0.73 50 = 0.47/1.3 60 = 0.55/1.5 70 = 0.61/1.5 80 = 0.675/1.67 90 = 0.715/1.67 100 = 0.75/1.72 110 = 0.8/1.72 Growing/finishing pigs in straw yards -	Outside shelters - Class of pig/minimum lying area (m^2) Breeding pigs Farrowing sows with piglets up to 28 days = 4.0 Dry sows = 1.5 Fattening pigs Up to 30kg (and over 40 days) = 0.30 Up to 50kg = 0.40 Up to 50kg = 0.40 Up to 50kg = 0.65 Up to 110kg = 0.80 Class of animal/total area including

 (c)0.30 m² for each pig where the average weight of the pigs in the group is more than 20 kg but less than or equal to 30 kg; (d)0.40 m² for each pig where the average weight of the pigs in the group is more than 30 kg but less than or equal to 50 kg; (e)0.55 m² for each pig where the average weight of the pigs in the group is more than 50 kg but less than or equal to 85 kg; (f)0.65 m² for each pig where the average weight of the pigs in the group is more than 50 kg but less than or equal to 85 kg; (f)0.65 m² for each pig where the average weight of the pigs in the group is more than 85 kg but less than or equal to 110 kg; and 	Weight (kg) Total minimum space (m^2) Weaners to $35 =$ 0.45 36-50 = 1.17 51-75 = 1.35 76-95 = 1.50 96-110 = 1.54 Sows must be given a minimum total floor space of $3.5m^2$ /sow for mature adults, and $2.5m^2$ /gilt for first and second parity animals	Weight (kg) Total minimum space (m^2) Weaners to 35 = 0.45 36-50 = 1.17 51-75 = 1.35 76-95 = 1.50 96-110 = 1.54 Sows must be given a minimum total floor space of $3.5m^2$ /sow for mature adults, and $2.5m^2$ /gilt for first and second parity animals	outdoor exercise area (m ²) Farrowing sows with: piglets up to 40 days = 10 piglets over 40 days and up to 30 kg = 1.0 Fattening pigs Up to 50 kg = 1.4 Up to 85 kg = 1.9 Up to 110 kg = 2.3 Breeding pigs Sows = 4.9
--	---	---	--

The unobstructed floor area available to each gilt after service and to each sow when gilts and/or	(g)1.00 m ² for each pig where the average weight of the pigs in the group is more than 110 kg.	
sows are kept in groups must be at least 1.64 m ² and 2.25 m ² respectively. When these animals are kept in groups of six or fewer individuals, the unobstructed floor area must be increased by 10%. When these animals are kept in groups of 40 or more individuals, the unobstructed floor area may be decreased by 10%.	floor area available to each gilt after service and to each sow when gilts and/or sows are kept in groups must be at least 1.64 m ² and 2.25 m ² respectively. When these animals are kept in groups of six or fewer individuals, the unobstructed floor area must be increased by 10%. When these animals are kept in groups of 40 or more individuals, the unobstructed floor area may be	

The accommodation used for pigs must be constructed in such a way as to allow each pig to— - stand up, lie down		
and rest without difficulty;		
- have a clean, comfortable and adequately drained place in which it can rest;		
- see other pigs, except—		
(i)where the pig is isolated for veterinary reasons; or		
(ii)in the week before the expected farrowing time and during farrowing, when sows and gilts may be kept out of		
sight of other pigs;		

Г Т Т			
	- maintain a comfortable temperature;		
	 have enough space to allow all the animals to lie down at the same time. 		
	Sows and gilts from holdings of 11 or more sows must be kept in groups except during the period between seven days before the predicted day of farrowing and the day on which the weaning of piglets is complete.		
	The dimensions of any stall or pen used for holding individual pigs must be such that the internal area is not less than the square of the length		

 1	 1	1
of the pig, and no		
internal side is less		
than 75% of the		
length of the pig, the		
length of the pig in		
each case being		
measured from the tip		
of its snout to the		
base of its tail while it		
is standing with its		
back straight. This		
does not apply to a		
female pig from		
seven days before		
predicted farrowing		
until weaning of her		
piglets or to a pig		
being held in a stall:		
(a) while it is		
undergoing any		
examination, test,		
treatment or		
operation carried out		
for veterinary		
purposes;		
(b) for the purposes		
of service, artificial		
insemination or		
collection of semen;		

		 (c) while it is fed on any particular occasion; (d) for the purposes of marking, washing or weighing it; (e) while its accommodation is being cleaned; or (f) while it is awaiting loading for transportation, provided that the period during which it is so kept is not longer than necessary for that purpose. 			
Enrichment	Not specified	Permanent access to environmental enrichment required	Permanent access required to effective environmental enrichment materials in sufficient quantities to allow and	Permanent access required to effective environmental enrichment materials in sufficient quantities to allow and	Permanent access required to effective environmental enrichment materials in sufficient quantities to allow and

			encourage proper expression of rooting, pawing and chewing behaviours.	encourage proper expression of rooting, pawing and chewing behaviours.	encourage proper expression of rooting, pawing and chewing behaviours.
				>200g chewable, edible, digestible material per pig per day from weaning onwards	>200g chewable, edible, digestible material per pig per day from weaning onwards
Outdoor access/ range access	Not required	Not required	Not required	Pigs must have spent a minimum proportion of their lives outdoors, from birth up to weaning.	Pigs must have spent their whole lives outdoors.
Welfare outcome assessment/ management (independently assessed)	Not required	Not required	Required	Required	Required
Finishing accommodation	Not specified	Fully slatted floors allowed	Fully slatted floors not allowed, lying area must be bedded	Requirement for indoor-based finishing:	All pigs must have access to a covered shelter which: a) is windproof and

				Fully slatted floors not allowed, lying area must be bedded	waterproof b) provides sufficient space to allow all pigs to lie down comfortably at the same time
				Requirement for outdoor-based finishing:	
				All pigs must have access to a covered shelter which: a) is windproof and waterproof b) provides sufficient space to allow all pigs to lie down comfortably at the same time	
Farrowing system	Not specified	Farrowing crates allowed	Temporary crating allowed (for 5 days or less)	No confinement allowed	No confinement allowed
Tail docking (and other procedures: teeth reduction,	Allowed	Tail docking and teeth reduction not allowed routinely	Castration not allowed	Not allowed	Not allowed
(and other procedures:	Allowed	reduction not allowed			Not allowed

castration, nose-ringing) Nose ringing allowed on animals not kept continuously in an indoor husbandry system	All other mutilations not allowed routinely.	
--	--	--

Laying hens

Welfare standard	Lowest tier	\rightarrow	\rightarrow	\rightarrow	Highest tier
Stocking density	Not specified	750 cm ² of cage area per hen, 600 cm ² of which must be usable	9 birds/m ² useable area 15 birds/m ² floor area Colony cages not allowed	9 birds/m² useable area 15 birds/m² floor area 2000 hens/Ha outdoor	6 birds/m² useable area 6 birds/m² floor area 1000 hens/Ha outdoor
Enrichment	Not specified	Litter such that pecking and scratching are possible	2 enrichment items per 1000 birds	2 enrichment items per 1000 birds, including destructible material such as straw or shaving bales	2 enrichment items per 500 birds, including destructible material such as straw or shaving bales
Outdoor access/ range access	Not required	Not required	Not required	Required (subject to notifiable disease control restrictions)	Required (subject to notifiable disease control restrictions)
Welfare outcome assessment/	Not required	Not required	Required	Required	Required

management (independently assessed)					
Range specification	N/A	N/A	N/A	Provision of shade: 8m²/1000 birds. Min. 4 shelters/Ha. Covered area/veranda provided from 2030.	Enriched range: Shelter/natural cover = 5% outdoor area; <20m between shelters; cover within 20m of pop- holes. Access from 12 weeks.
					Covered area/veranda provided.
Beak trimming	Allowed	Allowed in order to prevent feather pecking or cannibalism	Allowed in order to prevent feather pecking or cannibalism	Currently allowed in order to prevent feather pecking or cannibalism.	Not allowed – improved environment reduces stress to stop feather pecking.
				Not allowed for this tier from 2030.	

Meat chickens

Welfare standard	Lowest tier	\rightarrow	\rightarrow	\rightarrow	Highest tier
Stocking density	Not specified	39kg/m²	30kg/m²	27.5kg/m ²	21kg/m ² (fixed housing) or 30kg/m ² (mobile housing)
Enrichme nt	Not specified	Not specified	2m perch space or 0.3m ² platform space and 2 pecking objects per 1000 birds	1.5 straw bales, 2m perch space or 0.3m ² platform space and 2 pecking objects per 1000 birds	1.5 straw bales, 2m perch space or 0.3m ² platform space and 2 pecking objects per 500 birds
Outdoor access/ range access	Not required	Not required	Not required	Required Birds have had during at least half their lifetime continuous daytime access to open-air runs.	Required Birds have had during at least half their lifetime continuous daytime access to open-air runs.
Welfare outcome assessme nt/	Not required	Not required	Required	Required (subject to notifiable disease control restrictions)	Required (subject to notifiable disease control restrictions)

managem ent (independ ently assessed)					
Range specificati on	N/A	N/A	N/A	 Mainly covered with vegetation, minimum 1m²/bird. Min 8m² shelter/1,000 birds, some provision included within 20m of pop-holes. Natural cover on ≥5% of area. ≥2 dustbathing areas and at least 1/2000 birds. Covered area/veranda provided from 2030. 	Mainly covered with vegetation, minimum 1m ² /bird. Min 8m ² shelter/1,000 birds, some provision included within 20m of pop-holes. Natural cover on ≥5% of area. ≥2 dustbathing areas and at least 1/2000 birds.

Lighting	Not specified	 ≥ 20 lux over ≥ 80% of useable area. 6 hours darkness/ day incl. 4 hrs uninterrupted 	≥ 50 lux of light, including natural light	Windows equating to 3% of floor area, stepped dusk	Continuous dark period <u>></u> 8 hours
Thinning	Allowed	Allowed	One thin maximum	Not allowed	Not allowed
Breed growth rate	Not specified	Not specified	Slow growing/ intermediate growth. Acceptable breeds are: – Hubbard Redbro, JA757, 787, 957, or 987. – Rambler Ranger, Ranger Classic and Ranger Gold. – Other breeds that pass a Government-approved rigorous welfare assessment protocol, that includes assessment of key welfare outcome measures, including growth rate, leg health and mortality	Slow growing/ intermediate growth. Minimum slaughter age of 56 days	Slow growing. Minimum slaughter age 81 days