

# Department of Mathematics and Statistics


Preprint MPS\_2010-33

15 November 2010

## NLEVP: A Collection of Nonlinear Eigenvalue Problems

by

Timo Betcke, Nicholas J. Higham, Volker Mehrmann,  
Christian Schröder and Françoise Tisseur



# NLEVP: A Collection of Nonlinear Eigenvalue Problems

Timo Betcke\*    Nicholas J. Higham†    Volker Mehrmann‡  
Christian Schröder‡    Françoise Tisseur†

November 15, 2010

## Abstract

We present a collection of 46 nonlinear eigenvalue problems in the form of a MATLAB toolbox. The collection contains problems from models of real-life applications as well as ones constructed specifically to have particular properties. A classification is given of polynomial eigenvalue problems according to their structural properties. Identifiers based on these and other properties can be used to extract particular types of problems from the collection. A brief description of each problem is given. NLEVP serves both to illustrate the tremendous variety of applications of nonlinear eigenvalue problems and to provide representative problems for testing, tuning, and benchmarking of algorithms and codes.

Categories and Subject Descriptors: G.4 [Mathematical Software]; G.1.3 [Numerical Linear Algebra]: Eigenvalues and eigenvectors (direct and iterative methods)

Key words: test problem, benchmark, nonlinear eigenvalue problem, rational eigenvalue problem, polynomial eigenvalue problem, quadratic eigenvalue problem, even, odd, gyroscopic, symmetric, Hermitian, elliptic, hyperbolic, overdamped, palindromic, proportionally-damped, MATLAB

## 1 Introduction

In many areas of scientific computing collections of problems are available that play an important role in developing algorithms and in testing and benchmarking software. Among the uses of such collections are

- tuning an algorithm to optimize its performance across a wide and representative range of problems;
- testing the correctness of a code against some measure of success, where the latter is typically an error or residual whose nature is suggested by the underlying problem;
- measuring the performance of a code—for example, speed, execution rate, or again an error or residual;
- measuring the robustness of a code, that is, the behaviour in extreme situations, such as for very badly scaled and/or ill conditioned data;
- comparing two or more different codes with respect to the factors above.

---

\*Department of Mathematics and Statistics, University of Reading, UK ([t.betcke@reading.ac.uk](mailto:t.betcke@reading.ac.uk)). The work of this author was supported by Engineering and Physical Sciences Research Council Grant EP/H004009/1.

†School of Mathematics, The University of Manchester, Manchester, M13 9PL, UK ([{higham,ftisseur}@ma.man.ac.uk](mailto:{higham,ftisseur}@ma.man.ac.uk)). This work of these authors was supported by Engineering and Physical Sciences Research Council grants EP/D079403/1 and EP/E050441/1 (CICADA: Centre for Interdisciplinary Computational and Dynamical Analysis). The work of the second author was also supported by a Royal Society-Wolfson Research Merit Award and the work of the fifth author was also supported by a Leverhulme Research Fellowship.

‡Institut für Mathematik, MA 4-5, Technische Universität Berlin, Germany ([{mehrmann,schroed}@math.tu-berlin.de](mailto:{mehrmann,schroed}@math.tu-berlin.de)). Supported by Deutsche Forschungsgemeinschaft through MATH-EON, the DFG Research Center *Mathematics for key technologies* in Berlin.

A collection ideally combines problems artificially constructed to reflect a wide range of possible properties with problems representative of real applications. Problems for which something is known about the solution are always particularly attractive.

The practice of reproducible research, whereby research is published in such a way that the underlying numerical (and other) experiments can be repeated by others, has a growing number of adherents [25], [61]. Reproducible research is aided by the availability of well documented and maintained benchmark collections.

Two areas that have historically been well endowed with collections of problems implemented in software are linear algebra and optimization. In linear algebra an early collection is ACM Algorithm 694 [40], which contains parametrized, mainly dense, test matrices, most of which were later incorporated into the MATLAB `gallery` function. The University of Florida Sparse Matrix Collection is a regularly updated collection of sparse matrices [21], [22], with over 2200 matrices from practical applications. Matrix Market [66] also provides access to several collections of matrices, though at the time of writing it has not been updated for several years. Both the latter collections include the Harwell–Boeing collection [26] of sparse matrices and the NEP collection [3] of standard and generalized eigenvalue problems. The CONTEST toolbox [75] produces adjacency matrices describing random networks. In optimization we mention just the collections in the widely used CUTE and CUTER testing environments [9], [33], though various other, sometimes more specialized, collections are available.

The growing interest in nonlinear eigenvalue problems has created the need for a collection of problems in this area. The standard form of a nonlinear eigenvalue problem is  $F(\lambda)x = 0$ , where  $F : \mathbb{C} \rightarrow \mathbb{C}^{m \times n}$  is a given matrix-valued function and  $\lambda \in \mathbb{C}$  and the nonzero vector  $x \in \mathbb{C}^n$  are the sought eigenvalue and eigenvector, respectively. Rational and polynomial functions are of particular interest, the most practically important case being the quadratic  $Q(\lambda) = \lambda^2 A + \lambda B + C$ , which corresponds to the quadratic eigenvalue problem. For recent surveys on nonlinear eigenproblems see [67] and [80]. Associated with an  $n \times n$  matrix quadratic  $Q(\lambda)$  are the matrix equations  $X^2 A + X B + C = 0$  and  $A X^2 + B X + C = 0$ , where the unknown  $X \in \mathbb{C}^{n \times n}$  is called a solvent [24], [31] [42]. Thus a matrix polynomial  $P(\lambda)$  defines both an eigenvalue problem and two matrix equations.

We have built a collection of nonlinear eigenvalue problems from a variety of sources. Some are from models of real-life applications, while others have been constructed specifically to have particular properties. Many of the matrices have been used in previous papers to test numerical algorithms. In order to provide focus and keep the collection to a manageable size we have chosen to exclude linear problems from the collection. The problems range from the old, such as the `wing` problem from the classic 1938 book of Frazer, Duncan, and Collar [30], to the very recent, notably several problems from research in 3D vision that are not yet well known in the numerical analysis community.

Nonlinear eigenvalue problems are often highly structured and it is important to take account of the structure both in developing the theory and in designing numerical methods. We therefore provide a thorough classification of our problems that records the most relevant structural properties.

We have chosen to implement the collection in MATLAB, as a toolbox, recognizing that it is straightforward to convert the matrices into a format that can be read by other languages by using either the built-in MATLAB I/O functions or those provided in Matrix Market. A criterion for inclusion of problems is that the underlying MATLAB code and data files are not too large, since we want to provide the toolbox as a single file that can be downloaded in a reasonable time.

The NLEVP toolbox is available, as both a zip file and a tar file, from

<http://www.mims.manchester.ac.uk/research/numerical-analysis/nlevp.html>

For details of how to install and use the toolbox see [7].

In Section 2 we explain how we classify the problems through identifiers that can be used to extract specific types of problem from the collection. The main features of the problems are described in Section 3, while Section 4 describes the design of the toolbox. Conclusions are given in Section 5.

## 2 Identifiers

We give in Table 1 a list of identifiers for the types of problems available in the collection and in Table 2 a list of identifiers that specify the properties of problems in the collection. These properties can be used to extract specialized subsets of the collection for use in numerical experiments. All the identifiers are case insensitive. In the next two subsections we briefly recall some relevant definitions and properties of nonlinear eigenproblems.

### 2.1 Nonlinear Eigenproblems

The **polynomial eigenvalue problem** (PEP) is to find scalars  $\lambda$  and nonzero vectors  $x$  and  $y$  satisfying  $P(\lambda)x = 0$  and  $y^*P(\lambda) = 0$ , where

$$P(\lambda) = \sum_{i=0}^k \lambda^i A_i, \quad A_i \in \mathbb{C}^{m \times n}, \quad A_k \neq 0 \quad (1)$$

is an  $m \times n$  matrix polynomial of degree  $k$ . Here,  $x$  and  $y$  are right and left eigenvectors corresponding to the eigenvalue  $\lambda$ . The **reversal** of the matrix polynomial (1) is defined by

$$\text{rev}(P(\lambda)) = \lambda^k P(1/\lambda) = \sum_{i=0}^k \lambda^{k-i} A_i.$$

A PEP is said to have an eigenvalue  $\infty$  if zero is an eigenvalue of  $\text{rev}(P(\lambda))$ .

A **quadratic eigenvalue problem** (QEP) is a PEP of degree  $k = 2$ . For a survey of QEPs see [80]. Polynomial and quadratic eigenproblems are identified by **pep** and **qep**, respectively, in the collection (see Table 1), and any problem of type **qep** is automatically also of type **pep**.

The matrix function  $R(\lambda) \in \mathbb{C}^{m \times n}$  whose elements are rational functions

$$r_{ij}(\lambda) = \frac{p_{ij}(\lambda)}{q_{ij}(\lambda)}, \quad 1 \leq i \leq m, \quad 1 \leq j \leq n,$$

where  $p_{ij}(\lambda)$  and  $q_{ij}(\lambda)$  are scalar polynomials of the same variable and  $q_{ij}(\lambda) \neq 0$ , defines a **rational eigenvalue problem** (REP)  $R(\lambda)x = 0$  [56]. Unlike for PEPs there is no standard format for specifying REPs. For the collection we use the form

$$R(\lambda) = P(\lambda)Q(\lambda)^{-1},$$

where  $P(\lambda)$  and  $Q(\lambda)$  are matrix polynomials, or the less general form (often encountered in practice)

$$R(\lambda) = A + \lambda B + \sum_{i=1}^{k-1} \frac{\lambda}{\sigma_i - \lambda} C_i, \quad (2)$$

where  $A$ ,  $B$ , and the  $C_i$  are  $m \times n$  matrices, and the  $\sigma_i$  are the poles. Which form is used is specified in the help for the M-file defining the problem. Rational eigenproblems are identified by **rep** in the collection.

As mentioned in the introduction, PEPs and REPs are special cases of **nonlinear eigenvalue problems** (NEPs)  $F(\lambda)x = 0$ , where  $F : \mathbb{C} \rightarrow \mathbb{C}^{m \times n}$ . A convenient general form for expressing an NEP is

$$F(\lambda) = \sum_{i=0}^k f_i(\lambda) A_i, \quad (3)$$

where the  $f_i : \mathbb{C} \rightarrow \mathbb{C}$  are nonlinear functions and  $A_i \in \mathbb{C}^{m \times n}$ . Any problem that is not polynomial, quadratic, or rational is identified by **nep** in the collection (see Table 1).

Table 1: Problems available in the collection and their identifiers.

<b>qep</b>	quadratic eigenvalue problem
<b>pep</b>	polynomial eigenvalue problem
<b>rep</b>	rational eigenvalue problem
<b>nep</b>	other nonlinear eigenvalue problem

Table 2: List of identifiers for the problem properties.

<b>nonregular</b>	<b>symmetric</b>	<b>hyperbolic</b>
<b>real</b>	<b>hermitian</b>	<b>elliptic</b>
<b>nonsquare</b>	<b>T-even</b>	<b>overdamped</b>
<b>sparse</b>	<b>*-even</b>	<b>proportionally-damped</b>
<b>scalable</b>	<b>T-odd</b>	<b>gyroscopic</b>
<b>parameter-dependent</b>	<b>*-odd</b>	
<b>solution</b>	<b>T-palindromic</b>	
	<b>*-palindromic</b>	
	<b>T-anti-palindromic</b>	
	<b>*-anti-palindromic</b>	

## 2.2 Some Definitions and Properties

Nonlinear eigenproblems are said to be **regular** if  $m = n$  and  $\det(F(\lambda)) \neq 0$ , and **nonregular** otherwise. Recall that a regular PEP possesses  $nk$  (not necessarily distinct) eigenvalues [31], including infinite eigenvalues. As the majority of problems in the collection are regular we identify only nonregular problems, for which the identifier is **nonregular**.

The identifiers **real**, **hermitian**, and **symmetric** are defined in Table 3. For PEPs, the **real** identifier corresponds to  $P$  having real coefficient matrices, while **hermitian** corresponds to Hermitian (but not all real) coefficient matrices. Similarly, **symmetric** indicates (complex) symmetric coefficient matrices, and the **real** identifier is added if the coefficient matrices are real symmetric. For problems that are parameter-dependent the identifiers **real** and **hermitian** are used if the problem is real or Hermitian for real values of the parameter.

Definitions of identifiers for odd-even and palindromic-like square matrix polynomials, together with the special symmetry properties of their spectra (see [63]) are given in Table 4.

**Gyroscopic** systems of the form  $Q(\lambda) = \lambda^2 M + \lambda G + K$  with  $M, K$  Hermitian,  $M > 0$ , and  $G = -G^*$  skew-Hermitian are a subset of \*-even ( $T$ -even when the coefficient matrices are real) QEPs and are identified with **gyroscopic**. Here, for a Hermitian matrix  $A$ , we write  $A > 0$  to denote that  $A$  is positive definite and  $A \geq 0$  to denote that  $A$  is positive semidefinite. When  $K > 0$

Table 3: Some identifiers and the corresponding spectral properties. For parameter-dependent problems, the problem is classified as **real** or **hermitian** if it is so for real values of the parameter.

Identifier	Property of $F(\lambda) \in \mathbb{C}^{m \times n}$	Spectral properties
<b>real</b>	$\overline{F(\lambda)} = F(\bar{\lambda})$	eigenvalues real or come in pairs $(\lambda, \bar{\lambda})$
<b>symmetric</b>	$m = n, (F(\lambda))^T = F(\lambda)$	none unless $F$ is real
<b>hermitian</b>	$m = n, (F(\lambda))^* = F(\bar{\lambda})$	eigenvalues real or come in pairs $(\lambda, \bar{\lambda})$

Table 4: Some identifiers and the corresponding spectral symmetry properties.

Identifier	Property of $P(\lambda)$	Eigenvalue pairing
<b>T-even</b>	$P^T(-\lambda) = P(\lambda)$	$(\lambda, -\lambda)$
<b>*-even</b>	$P^*(-\lambda) = P(\lambda)$	$(\lambda, -\bar{\lambda})$
<b>T-odd</b>	$P^T(-\lambda) = -P(\lambda)$	$(\lambda, -\lambda)$
<b>*-odd</b>	$P^*(-\lambda) = -P(\lambda)$	$(\lambda, -\bar{\lambda})$
<b>T-palindromic</b>	$\text{rev}P^T(\lambda) = P(\lambda)$	$(\lambda, 1/\lambda)$
<b>*-palindromic</b>	$\text{rev}P^*(\lambda) = P(\lambda)$	$(\lambda, 1/\bar{\lambda})$
<b>T-anti-palindromic</b>	$\text{rev}P^T(\lambda) = -P(\lambda)$	$(\lambda, 1/\lambda)$
<b>*-anti-palindromic</b>	$\text{rev}P^*(\lambda) = -P(\lambda)$	$(\lambda, 1/\bar{\lambda})$

the eigenvalues of  $Q$  are purely imaginary and semisimple [27], [58] and the quadratic  $Q(i\lambda)$  is hyperbolic.

A Hermitian matrix polynomial  $P(\lambda)$  is **hyperbolic** if there exists  $\mu \in \mathbb{R} \cup \{\infty\}$  such that  $P(\mu)$  is positive definite and for every nonzero  $x \in \mathbb{C}^n$  the scalar equation  $x^*P(\lambda)x = 0$  has  $k$  distinct zeros in  $\mathbb{R} \cup \{\infty\}$ . All the eigenvalues of such a  $P$  are real, semisimple, and grouped in  $k$  intervals, each of them containing  $n$  eigenvalues [1], [43], [65]. These polynomials are identified in the collection by **hyperbolic**. **Overdamped** systems  $Q(\lambda) = \lambda^2M + \lambda C + K$  are particular hyperbolic QEPs for which  $M > 0$ ,  $C > 0$ , and  $K \geq 0$ ; they have the identifier **overdamped**. Finally, a QEP is said to be **proportionally damped** when  $M$ ,  $C$ , and  $K$  are simultaneously diagonalizable by congruence or strict equivalence [60] (a sufficient condition for which is that  $C = \alpha M + \beta K$  with  $M$  and  $K$  simultaneously diagonalizable, hence the name), and such a QEP is identified by **proportionally-damped**.

Hermitian matrix polynomials  $P(\lambda)$  with even degree  $k$  that are **elliptic**, i.e.,  $P(\lambda) > 0$  for all  $\lambda \in \mathbb{R}$  [65, §34], are identified by **elliptic**. Elliptic matrix polynomials have nonreal eigenvalues.

The identifier **sparse** is used if the defining matrices are stored in MATLAB's sparse format. Problems that depend on one or more parameters are identified with **parameter-dependent**. A separate identifier, **scalable**, is used to denote that the problem dimension (or a function of it) is a parameter; for such problems a default value of the parameter is provided, typically being a value used in previously published experiments.

For some problems a *supposed* solution (eigenvalues and/or eigenvectors) is returned via the last output parameter, being either an exactly known solution or an approximate or computed solution. These problems are identified with **solution**. The documentation for the matrix provides information on the nature of the supposed solution.

Tables 5–10 identify the QEPs, the PEPs that are of degree at least 3, the nonsquare PEPs, the REPs, and the nonlinear but non-polynomial and non-rational problems in the collection.

### 3 Collection of Problems

This section contains a brief description of all the problems in the collection. The identifiers for the problem properties are listed inside curly brackets after the name of each problem. The problems are summarized in Table 11.

We use the following notation.  $A \otimes B$  denotes the Kronecker product of  $A$  and  $B$ , namely the block matrix  $(a_{ij}B)$  [41, Sec. B.13]. The  $i$ th unit vector (that is, the  $i$ th column of the identity matrix) is denoted by  $e_i$ .

**Acoustic wave 1D** {pep, qep, symmetric, \*-even, parameter-dependent, scalable}. This quadratic matrix polynomial  $Q(\lambda) = \lambda^2M + \lambda C + K$  arises from the finite element discretization of the time-harmonic wave equation  $-\Delta p - (2\pi f/c)^2 p = 0$  for the acoustic pressure  $p$  in a bounded domain, where the boundary conditions are partly Dirichlet ( $p = 0$ ) and partly impedance ( $\frac{\partial p}{\partial n} + \frac{2\pi i f}{\zeta} p = 0$ )

Table 5: Quadratic eigenvalue problems.

acoustic_wave_1d	acoustic_wave_2d	bicycle	bilby
cd_player	closed_loop	concrete	damped_beam
dirac	foundation	gen_hyper2	intersection
hospital	metal_strip	mobile_manipulator	omnicam1
omnicam2	pdde_stability	power_plant	qep1
qep2	qep3	qep4	railtrack
railtrack2	relative_pose_6pt	schrodinger	shaft
sign1	sign2	sleeper	speaker_box
spring	spring_dashpot	surveillance	wing
wiresaw1	wiresaw2		

Table 6: Polynomial eigenvalue problems of degree 3 and higher.

butterfly	orr_sommerfeld	plasma_drift	relative_pose_5pt
-----------	----------------	--------------	-------------------

Table 7: Nonsquare polynomial eigenvalue problems.

qep4	surveillance
------	--------------

Table 8: Nonregular polynomial eigenvalue problems.

qep4	surveillance
------	--------------

Table 9: Rational eigenvalue problems.

loaded_string
---------------

Table 10: Nonlinear (but not rational or polynomial) eigenvalue problems.

fiber	gun	hadeler
-------	-----	---------

Table 11: Problems in NLEVP.

---

acoustic_wave_1d	Acoustic wave problem in 1 dimension.
acoustic_wave_2d	Acoustic wave problem in 2 dimensions.
bicycle	2-by-2 QEP from the Whipple bicycle model.
bilby	5-by-5 QEP from bilby population model.
butterfly	Quartic matrix polynomial with T-even structure.
cd_player	QEP from model of CD player.
closed_loop	2-by-2 QEP associated with closed-loop control system.
concrete	Sparse QEP from model of a concrete structure.
damped_beam	QEP from simply supported beam damped in the middle.
dirac	QEP from Dirac operator.
fiber	NEP from fiber optic design.
foundation	Sparse QEP from model of machine foundations.
gen_hyper2	Hyperbolic QEP constructed from prescribed eigenpairs.
gun	NEP from model of a radio-frequency gun cavity.
hadeler	NEP due to Hadeler.
intersection	10-by-10 QEP from intersection of three surfaces.
hospital	QEP from model of Los Angeles Hospital building.
loaded_string	REP from finite element model of a loaded vibrating string.
metal_strip	QEP related to stability of electronic model of metal strip.
mobile_manipulator	QEP from model of 2-dimensional 3-link mobile manipulator.
omnicam1	9-by-9 QEP from model of omnidirectional camera.
omnicam2	15-by-15 QEP from model of omnidirectional camera.
orr_sommerfeld	Quartic PEP arising from Orr-Sommerfeld equation.
pdde_stability	QEP from stability analysis of discretized PDDE.
plasma_drift	Cubic PEP arising in Tokamak reactor design.
power_plant	8-by-8 QEP from simplified nuclear power plant problem.
qep1	3-by-3 QEP with known eigensystem.
qep2	3-by-3 QEP with known, nontrivial Jordan structure.
qep3	3-by-3 parametrized QEP with known eigensystem.
qep4	3-by-4 QEP with known, nontrivial Jordan structure.
railtrack	QEP from study of vibration of rail tracks.
railtrack2	Palindromic QEP from model of rail tracks.
relative_pose_5pt	Cubic PEP from relative pose problem in computer vision.
relative_pose_6pt	QEP from relative pose problem in computer vision.
schrodinger	QEP from Schrodinger operator.
shaft	QEP from model of a shaft on bearing supports with a damper.
sign1	QEP from rank-1 perturbation of sign operator.
sign2	QEP from rank-1 perturbation of $2*\sin(x) + \text{sign}(x)$ operator.
sleeper	QEP modelling a railtrack resting on sleepers.
speaker_box	QEP from model of a speaker box.
spring	QEP from finite element model of damped mass-spring system.
spring_dashpot	QEP from model of spring/dashpot configuration.
surveillance	21-by-16 QEP from surveillance camera callibration.
wing	3-by-3 QEP from analysis of oscillations of a wing in an airstream.
wiresaw1	Gyroscopic QEP from vibration analysis of a wiresaw.
wiresaw2	QEP from vibration analysis of wiresaw with viscous damping effect.

---



[19]. Here,  $f$  is the frequency,  $c$  is the speed of sound in the medium, and  $\zeta$  is the (possibly complex) impedance. We take  $c = 1$  as in [19]. The eigenvalues of  $Q$  are the resonant frequencies of the system, and for the given problem formulation they lie in the upper half of the complex plane.

On the 1D domain  $[0, 1]$  the  $n \times n$  matrices are defined by

$$M = -4\pi^2 \frac{1}{n} (I_n - \frac{1}{2} e_n e_n^T), \quad C = 2\pi i \frac{1}{\zeta} e_n e_n^T, \quad K = n \begin{bmatrix} 2 & -1 & & \\ -1 & \ddots & \ddots & \\ & \ddots & 2 & -1 \\ & & -1 & 1 \end{bmatrix}.$$

**Acoustic wave 2D** {pep,qep,symmetric,\*-even,parameter-dependent,scalable}. A 2D version of Acoustic wave 1D. On the unit square  $[0, 1] \times [0, 1]$  with mesh size  $h$  the  $n \times n$  coefficient matrices of  $Q(\lambda)$  with  $n = \frac{1}{h}(\frac{1}{h} - 1)$  are given by

$$M = -4\pi^2 h^2 I_{m-1} \otimes (I_m - \frac{1}{2} e_m e_m^T), \quad D = 2\pi i \frac{h}{\zeta} I_{m-1} \otimes (e_m e_m^T), \\ K = I_{m-1} \otimes D_m + T_{m-1} \otimes (-I_m + \frac{1}{2} e_m e_m^T),$$

where  $\otimes$  denotes the Kronecker product,  $m = 1/h$ ,  $\zeta$  is the (possibly complex) impedance, and

$$D_m = \begin{bmatrix} 4 & -1 & & & \\ -1 & \ddots & \ddots & & \\ & \ddots & 4 & -1 & \\ & & -1 & 2 & \end{bmatrix} \in \mathbb{R}^{m \times m}, \quad T_{m-1} = \begin{bmatrix} 0 & 1 & & & \\ 1 & \ddots & \ddots & & \\ & \ddots & \ddots & 1 & \\ & & 1 & 0 & \end{bmatrix} \in \mathbb{R}^{(m-1) \times (m-1)}.$$

The eigenvalues of  $Q$  are the resonant frequencies of the system, and for the given problem formulation they lie in the upper half of the complex plane.

**Bicycle** {pep,qep,real,parameter-dependent}. This is a  $2 \times 2$  quadratic polynomial arising in the study of bicycle self-stability [69]. The linearized equations of motion for the Whipple bicycle model can be written as

$$M\ddot{q} + C\dot{q} + Kq = f,$$

where  $M$  is a symmetric mass matrix, the nonsymmetric damping matrix  $C = vC_1$  is linear in the forward speed  $v$ , and the stiffness matrix  $K = gK_0 + v^2K_2$  is the sum of two parts: a velocity independent symmetric part  $gK_0$  proportional to the gravitational acceleration  $g$  and a nonsymmetric part  $v^2K_2$  quadratic in the forward speed.

**Bilby** {pep,qep,real,parameter-dependent}. This  $5 \times 5$  quadratic matrix polynomial arises in a model from [4] for the population of the greater bilby (*Macrotis lagotis*), an endangered Australian marsupial. Define the  $5 \times 5$  matrix

$$M(g, x) = \begin{bmatrix} gx_1 & (1-g)x_1 & 0 & 0 & 0 & 0 \\ gx_2 & 0 & 0 & (1-g)x_2 & 0 & 0 \\ gx_3 & 0 & 0 & 0 & (1-g)x_3 & 0 \\ gx_4 & 0 & 0 & 0 & 0 & (1-g)x_4 \\ gx_5 & 0 & 0 & 0 & 0 & (1-g)x_5 \end{bmatrix}.$$

The model is a quasi-birth-death process some of whose key properties are captured by the elementwise minimal solution of the quadratic matrix equation

$$R = \beta(A_0 + RA_1 + R^2A_2), \quad A_0 = M(g, b), \quad A_1 = M(g, e - b - d), \quad A_2 = M(g, d),$$

where  $b$  and  $d$  are vectors of probabilities and  $e$  is the vector of ones. The corresponding quadratic matrix polynomial is  $Q(\lambda) = \lambda^2 A + \lambda B + C$ , where

$$A = \beta A_2^T, \quad B = \beta A_1^T - I, \quad C = \beta A_0^T.$$

We take  $g = 0.2$ ,  $b = [1, 0.4, 0.25, 0.1, 0]^T$ , and  $d = [0, 0.5, 0.55, 0.8, 1]^T$ , as in [4].

**Butterfly** {pep,real,parameter-dependent,T-even,scalable}. This is a quartic matrix polynomial  $P(\lambda) = \lambda^4 A_4 + \lambda^3 A_3 + \lambda^2 A_2 + \lambda A_1 + A_0$  of dimension  $m^2$  with T-even structure, depending on a  $10 \times 1$  parameter vector  $c$  [68]. Its spectrum has a butterfly shape. The coefficient matrices are Kronecker products, with  $A_4$  and  $A_2$  real and symmetric and  $A_3$  and  $A_1$  real and skew-symmetric, assuming  $c$  is real. The default is  $m = 8$ .

**CD player** {pep,qep,real}. This is a  $60 \times 60$  quadratic matrix polynomial  $Q(\lambda) = \lambda^2 M + \lambda C + K$ , with  $M = I_{60}$  arising in the study of a CD player control task [17], [18]. The mechanism that is modeled consists of a swing arm on which a lens is mounted by means of two horizontal leaf springs. This is a small representation of a larger original rigid body model (which is also quadratic).

**Closed-loop** {pep,qep,real,parameter-dependent}. This is a quadratic polynomial

$$Q(\lambda) = \lambda^2 I + \lambda \begin{bmatrix} 0 & 1 + \alpha \\ 1 & 0 \end{bmatrix} + \begin{bmatrix} 1/2 & 0 \\ 0 & 1/4 \end{bmatrix}$$

associated with a closed-loop control system with feedback gains 1 and  $1 + \alpha$ ,  $\alpha \geq 0$ . The eigenvalues of  $Q(\lambda)$  lie inside the unit disc if and only if  $0 \leq \alpha < 0.875$  [79].

**Concrete** {pep,qep,symmetric,parameter-dependent,sparse}. This is a quadratic matrix polynomial  $Q(\lambda) = \lambda^2 M + \lambda C + (1 + i\mu)K$  arising in a model of a concrete structure supporting a machine assembly [29]. The matrices have dimension 2472.  $M$  is real diagonal and low rank.  $C$ , the viscous damping matrix, is pure imaginary and diagonal.  $K$  is complex symmetric, and the factor  $1 + i\mu$  adds uniform hysteretic damping. The default is  $\mu = 0.04$ .

**Damped beam** {pep,qep,real,symmetric,scalable}. This QEP arises in the vibration analysis of a beam simply supported at both ends and damped in the middle [44]. The quadratic  $Q(\lambda) = \lambda^2 M + \lambda C + K$  has real symmetric coefficient matrices with  $M > 0$ ,  $K > 0$ , and  $C = ce_n e_n^T \geq 0$ , where  $c$  is a damping parameter. Half of the eigenvalues of the problem are purely imaginary and are eigenvalues of the undamped problem ( $C = 0$ ).

**Dirac** {pep,qep,real,symmetric,parameter-dependent,scalable}. The spectrum of this matrix polynomial is the second order spectrum of the radial Dirac operator with an electric Coulombic potential of strength  $\alpha$ ,

$$D = \begin{bmatrix} 1 + \frac{\alpha}{r} & -\frac{d}{dr} + \frac{\kappa}{r} \\ \frac{d}{dr} + \frac{\kappa}{r} & -1 + \frac{\alpha}{r} \end{bmatrix}.$$

For  $-\sqrt{3}/2 < \alpha < 0$  and  $\kappa \in \mathbb{Z}$ ,  $D$  acts on  $L^2((0, \infty), \mathbb{C}^2)$  and it corresponds to a spherically symmetric decomposition of the space into partial wave subspaces [76]. The problem discretization is relative to subspaces generated by the Hermite functions of odd order. The size of the matrix coefficients of the QEP is  $n + m$ , corresponding to  $n$  Hermite functions in the first component of the  $L^2$  space and  $m$  in the second component [11].

For  $\kappa = -1$ ,  $\alpha = -1/2$  and  $n$  large enough, there is a conjugate pair of isolated points of the second order spectrum near the ground eigenvalue  $E_0 \approx 0.866025$ . The essential spectrum,  $(-\infty, -1] \cup [1, \infty)$ , as well as other eigenvalues, also seem to be captured for large  $n$ .

**Fiber** {nep,sparse,solution}. This nonlinear eigenvalue problem arises from a model in fiber optic design based on the Maxwell equations [49], [54]. The problem is of the form

$$F(\lambda)x = (A + s(\lambda)B - \lambda I)x = 0,$$

where  $A \in \mathbb{R}^{2400 \times 2400}$  is tridiagonal and  $B = e_{2400} e_{2400}^T$ . The scalar function  $s(\lambda)$  is defined in terms of Bessel functions. The real, positive eigenvalues are the ones of interest.

**Foundation** {pep,qep,symmetric,sparse}. This is a quadratic matrix polynomial  $Q(\lambda) = \lambda^2 M + \lambda C + K$  arising in a model of reinforced concrete machine foundations resting on the ground [29]. The matrices have dimension 3627;  $M$  is real and diagonal,  $C$  is complex and diagonal, and  $K$  is complex symmetric.

**Gen hyper2** {pep,qep,real,symmetric,hyperbolic,parameter-dependent,scalable,solution}. This example generates a hyperbolic quadratic matrix polynomial from a given set of eigenvalues and eigenvectors  $(\lambda_k, v_k)$ ,  $k = 1: 2n$ , such that with

$$\Lambda = \text{diag}(\lambda_1, \dots, \lambda_{2n}) =: \text{diag}(\Lambda_1, \Lambda_2), \quad \Lambda_1, \Lambda_2 \in \mathbb{R}^{n \times n},$$

$$V := [v_1, \dots, v_{2n}] =: [V_1 \quad V_2], \quad V_1, V_2 \in \mathbb{R}^{n \times n},$$

$\lambda_{\min}(\Lambda_1) > \lambda_{\max}(\Lambda_2)$ ,  $V_1$  is nonsingular, and  $V_2 = V_1 U$  for some orthogonal matrix  $U$ . Then the  $n \times n$  symmetric quadratic  $Q(\lambda) = \lambda^2 A + \lambda B + C$  with

$$A = \Gamma^{-1}, \quad \Gamma = V_1 \Lambda_1 V_1^T - V_2 \Lambda_2 V_2^T,$$

$$B = -A(V_1 \Lambda_1^2 V_1^T - V_2 \Lambda_2^2 V_2^T)A,$$

$$C = -A(V_1 \Lambda_1^3 V_1^T - V_2 \Lambda_2^3 V_2^T)A + B \Gamma B,$$

is hyperbolic and has eigenpairs  $(\lambda_k, v_k)$ ,  $k = 1: 2n$  [1], [35]. The quadratic  $Q(\lambda)$  has the property that  $A$  is positive definite and  $-Q(\mu)$  is positive definite for all  $\mu \in (\lambda_{\max}(\Lambda_2), \lambda_{\min}(\Lambda_1))$ . If  $\lambda_{\max}(\Lambda) < 0$  then  $B$  and  $C$  are positive definite and  $Q(\lambda)$  is overdamped.

**Gun** {nep,sparse}. This nonlinear eigenvalue problem models a radio-frequency gun cavity. The eigenvalue problem is of the form

$$F(\lambda)x = [K - \lambda M + i(\lambda - \sigma_1^2)^{\frac{1}{2}} W_1 + i(\lambda - \sigma_2^2)^{\frac{1}{2}} W_2]x = 0,$$

where  $M, K, W_1, W_2$  are real symmetric matrices of size  $9956 \times 9956$ .  $K$  is positive semidefinite and  $M$  is positive definite. In this example  $\sigma_1 = 0$  and  $\sigma_2 = 108.8774$ . The eigenvalues of interest are the  $\lambda$  for which  $\lambda^{1/2}$  is close to 146.71 [62, p. 59].

**Hadeler** {nep,real,symmetric,scalable}. This nonlinear eigenvalue problem, from Hadeler [38], has the form

$$F(\lambda)x = [(e^\lambda - 1)A_2 + \lambda^2 A_1 - \alpha A_0]x = 0,$$

where  $A_2, A_1, A_0 \in \mathbb{R}^{n \times n}$  are symmetric and  $\alpha$  is a scalar parameter. This problem satisfies a generalized form of overdamping condition that ensures the existence of a complete set of eigenvectors [73].

**Hospital** {pep,qep,real}. This is a  $24 \times 24$  quadratic polynomial  $Q(\lambda) = \lambda^2 M + \lambda C + K$ , with  $M = I_{24}$ , arising in the study of the Los Angeles University Hospital building [17], [18]. There are 8 floors, each with 3 degrees of freedom.

**Intersection** {pep,qep,real}. This  $10 \times 10$  quadratic polynomial arises in the problem of finding the intersection between a cylinder, a sphere, and a plane described by the equations

$$\begin{aligned} f_1(x, y, z) &= 1.6\text{e-}3 x^2 + 1.6\text{e-}3 y^2 - 1 = 0, \\ f_2(x, y, z) &= 5.3\text{e-}4 x^2 + 5.3\text{e-}4 y^2 + 5.3\text{e-}4 z^2 + 2.7\text{e-}2 x - 1 = 0, \\ f_3(x, y, z) &= -1.4\text{e-}4 x + 1.0\text{e-}4 y + z - 3.4\text{e-}3 = 0. \end{aligned} \quad (4)$$

Use of the Macaulay resultant leads to the QEP  $Q(x)v = 0$ , where

$$Q(x)v = [y f_1 \quad z f_1 \quad f_1 \quad y f_2 \quad z f_2 \quad f_2 \quad y z f_3 \quad y f_3 \quad z f_3 \quad f_3]^T = (x^2 A_2 + x A_1 + A_0)v, \quad (5)$$

$$v = [y^3 \quad y^2 z \quad y^2 \quad y z^2 \quad z^3 \quad z^2 \quad y z \quad y \quad z \quad 1]^T. \quad (6)$$

The matrix  $A_2$  is singular and the QEP has only four finite eigenvalues: two real and two complex. Let  $(\lambda_i, v_i)$ ,  $i = 1, 2$  be the two real eigenpairs. With the normalization  $v_i(10) = 1$ ,  $i = 1, 2$ ,  $(x_i, y_i, z_i) = (\lambda_i, v_i(8), v_i(9))$  are solutions of (4) [64].

**Loaded string** `{rep,real,symmetric,parameter-dependent,scalable}`. This rational eigenvalue problem arises in the finite element discretization of a boundary problem describing the eigenvibration of a string with a load of mass  $m$  attached by an elastic spring of stiffness  $k$ . It has the form

$$R(\lambda)x = \left( A - \lambda B + \frac{\lambda}{\lambda - \sigma} C \right) x = 0,$$

where the pole  $\sigma = k/m$ , and  $A > 0$  and  $B > 0$  are  $n \times n$  tridiagonal matrices defined by

$$A = \frac{1}{h} \begin{bmatrix} 2 & -1 & & & \\ -1 & \ddots & \ddots & & \\ & \ddots & 2 & -1 & \\ & & -1 & 1 & \end{bmatrix}, \quad B = \frac{h}{6} \begin{bmatrix} 4 & 1 & & & \\ 1 & \ddots & \ddots & & \\ & \ddots & 4 & 1 & \\ & & 1 & 2 & \end{bmatrix},$$

and  $C = ke_n e_n^T$  with  $h = 1/n$  [74].

**Metal strip** `{pep,qep,real}`. Modelling the electronic behaviour of a metal strip using partial element equivalent circuits (PEEC's) [5] results in the delay differential equation

$$\begin{cases} D_1 \dot{x}(t-h) + D_0 \dot{x}(t) = A_0 x(t) + A_1 x(t-h), & t \geq 0, \\ x(t) = \varphi(t), & t \in [-h, 0), \end{cases}$$

where

$$A_0 = 100 \begin{bmatrix} -7 & 1 & 2 \\ 3 & -9 & 0 \\ 1 & 2 & -6 \end{bmatrix}, \quad A_1 = 100 \begin{bmatrix} 1 & 0 & -3 \\ -0.5 & -0.5 & -1 \\ -0.5 & -1.5 & 0 \end{bmatrix},$$

$$D_1 = -\frac{1}{72} \begin{bmatrix} -1 & 5 & 2 \\ 4 & 0 & 3 \\ -2 & 4 & 1 \end{bmatrix}, \quad D_0 = I, \quad \varphi(t) = [\sin(t), \sin(2t), \sin(3t)]^T.$$

Assessing the stability of this delay differential equation by the method in [28], [52] leads to the quadratic eigenproblem  $(\lambda^2 E + \lambda F + G)u = 0$  with

$$E = (D_0 \otimes A_1) + (A_0 \otimes D_1), \quad G = (D_1 \otimes A_0) + (A_1 \otimes D_0),$$

$$F = (D_0 \otimes A_0) + (A_0 \otimes D_0) + (D_1 \otimes A_1) + (A_1 \otimes D_1).$$

This problem is PCP-palindromic [28], i.e., there is an involutory matrix  $P$  such that  $E = P\overline{G}P$  and  $F = P\overline{F}P$ .

**Mobile manipulator** `{pep,qep,real}`. This is a  $5 \times 5$  quadratic matrix polynomial arising from the modelling as a time-invariant descriptor control system of a two-dimensional three-link mobile manipulator [15, Ex. 14], [14]. The system in its second-order form is

$$M\ddot{x}(t) + D\dot{x}(t) + Kx(t) = Bu(t),$$

$$y(t) = Cx(t),$$

where the coefficient matrices are  $5 \times 5$  and of the form

$$M = \begin{bmatrix} M_0 & 0 \\ 0 & 0 \end{bmatrix}, \quad D = \begin{bmatrix} D_0 & 0 \\ 0 & 0 \end{bmatrix}, \quad K = \begin{bmatrix} K_0 & -F_0^T \\ F_0 & 0 \end{bmatrix},$$

with

$$M_0 = \begin{bmatrix} 18.7532 & -7.94493 & 7.94494 \\ -7.94493 & 31.8182 & -26.8182 \\ 7.94494 & -26.8182 & 26.8182 \end{bmatrix}, \quad D_0 = \begin{bmatrix} -1.52143 & -1.55168 & 1.55168 \\ 3.22064 & 3.28467 & -3.28467 \\ -3.22064 & -3.28467 & 3.28467 \end{bmatrix},$$

$$K_0 = \begin{bmatrix} 67.4894 & 69.2393 & -69.2393 \\ 69.8124 & 1.68624 & -1.68617 \\ -69.8123 & -1.68617 & -68.2707 \end{bmatrix}, \quad F_0 = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}.$$

The quadratic  $Q(\lambda) = \lambda^2 M + \lambda D + K$  is close to being nonregular [15], [45].

**Omniam1** {pep,qep,real}. This is a  $9 \times 9$  quadratic matrix polynomial  $Q(\lambda) = \lambda^2 A_2 + \lambda A_1 + A_0$  arising from a model of an omnidirectional camera (one with angle of view greater than 180 degrees) [70]. The matrix  $A_0$  has one nonzero column,  $A_1$  has 5 nonzero columns and rank 5, while  $A_2$  has full rank. The eigenvalues of interest are the real eigenvalues of order 1.

**Omniam2** {pep,qep,real}. This is a  $15 \times 15$  quadratic matrix polynomial  $Q(\lambda) = \lambda^2 A_2 + \lambda A_1 + A_0$  arising from a model of an omnidirectional camera (one with angle of view greater than 180 degrees) [70]. The matrix  $A_0$  has one nonzero column,  $A_1$  has 5 nonzero columns and rank 5, while  $A_2$  has full rank. The eigenvalues of interest are the real eigenvalues of order 1.

**Orr-Sommerfeld** {pep,parameter-dependent,scalable}. This example is a quartic polynomial eigenvalue problem arising in the spatial stability analysis of the Orr–Sommerfeld equation [79]. The Orr–Sommerfeld equation is a linearization of the incompressible Navier–Stokes equations in which the perturbations in velocity and pressure are assumed to take the form  $\Phi(x, y, t) = \phi(y)e^{i(\lambda x - \omega t)}$ , where  $\lambda$  is a wavenumber and  $\omega$  is a radian frequency. For a given Reynolds number  $R$ , the Orr–Sommerfeld equation may be written

$$\left[ \left( \frac{d^2}{dy^2} - \lambda^2 \right)^2 - iR \left\{ (\lambda U - \omega) \left( \frac{d^2}{dy^2} - \lambda^2 \right) - \lambda U'' \right\} \right] \phi = 0. \quad (7)$$

In spatial stability analysis the parameter is  $\lambda$ , which appears to the fourth power in (7), so we obtain a quartic polynomial eigenvalue problem. The quartic is constructed using a Chebyshev spectral discretization. The eigenvalues  $\lambda$  of interest are those closest to the real axis and  $\text{Im}(\lambda) > 0$  is needed for stability. The default values  $R = 5772$  and  $\omega = 0.26943$  correspond to the critical neutral point corresponding to  $\lambda$  and  $\omega$  both real for minimum  $R$  [13], [72].

**PDDE stability** {qep,pep,scalable,parameter-dependent,sparse,symmetric}. This problem arises from the stability analysis of a partial delay-differential equation (PDDE) [28], [52, Ex. 3.22]. Discretization gives rise to a time-delay system

$$\dot{x}(t) = A_0 x(t) + A_1 x(t - h_1) + A_2 x(t - h_2),$$

where  $A_0 \in \mathbb{R}^{n \times n}$  is tridiagonal and  $A_1, A_2 \in \mathbb{R}^{n \times n}$  are diagonal with

$$(A_0)_{kj} = \begin{cases} -2(n+1)^2/\pi^2 + a_0 + b_0 \sin(j\pi/(n+1)) & \text{if } k = j, \\ (n+1)^2/\pi^2 & \text{if } |k - j| = 1, \end{cases}$$

$$(A_1)_{jj} = a_1 + b_1 \frac{j\pi}{n+1} \left( 1 - e^{-\pi(1-j/(n+1))} \right),$$

$$(A_2)_{jj} = a_2 + b_2 \frac{j\pi^2}{n+1} \left( 1 - j/(n+1) \right).$$

Here, the  $a_k$  and  $b_k$  are real scalar parameters and  $n \in \mathbb{N}$  is the number of uniformly spaced interior grid points in the discretization of the PDDE. Asking for the delays  $h_1, h_2$  such that the delay system is stable leads to the quadratic eigenvalue problem  $(\lambda^2 E + \lambda F + G)v = 0$  of dimension  $n^2 \times n^2$  with

$$E = I \otimes A_2, \quad F = (I \otimes (A_0 + e^{-i\varphi_1} A_1)) + ((A_0 + e^{i\varphi_1} A_1) \otimes I), \quad G = A_2 \otimes I,$$

where  $i$  is the imaginary unit and  $\varphi_1 \in [-\pi, \pi]$  is a parameter. (To answer the stability question, the QEP has to be solved for many values of  $\varphi_1$ .)

Following [52], [28] the default values are

$$n = 20, \quad a_0 = 2, \quad b_0 = 0.3, \quad a_1 = -2, \quad b_1 = 0.2, \quad a_2 = -2, \quad b_2 = -0.3, \quad \varphi_1 = -\pi/2.$$

This problem has the following properties: it is PCP-palindromic [28], i.e., there is an involutory matrix  $P$  such that  $E = P\overline{G}P$  and  $F = P\overline{F}P$ . Moreover, only the four eigenvalues on the unit circle are of interest. The exact corresponding eigenvectors can be written as  $x_j = u_j \otimes v_j$  for  $j = 1: 4$ .

**Plasma drift** {pep}. This cubic matrix polynomial of dimension 128 or 512 results from the modeling of drift instabilities in the plasma edge inside a Tokamak reactor [81]. It is of the form  $P(\lambda) = \lambda^3 A_3 + \lambda^2 A_2 + \lambda A_1 + A_0$ , where  $A_0$  and  $A_1$  are complex,  $A_2$  is complex symmetric, and  $A_3$  is real symmetric. The desired eigenpair is the one whose eigenvalue has the largest imaginary part.

**Power plant** {pep,qep,symmetric,parameter-dependent}. This is a QEP  $Q(\lambda)x = (\lambda^2 M + \lambda D + K)x = 0$  describing the dynamic behaviour of a nuclear power plant simplified into an eight-degrees-of-freedom system [51], [80]. The mass matrix  $M$  and damping matrix  $D$  are real symmetric and the stiffness matrix has the form  $K = (1 + i\mu)K_0$ , where  $K_0$  is real symmetric (hence  $K = K^T$  is complex symmetric). The parameter  $\mu$  describes the hysteretic damping of the problem. The matrices are badly scaled.

**QEP1** {pep,qep,real,solution}. This is a  $3 \times 3$  quadratic matrix polynomial  $Q(\lambda) = \lambda^2 A_2 + \lambda A_1 + A_0$  from [80, p. 250] with

$$A_2 = \begin{bmatrix} 0 & 6 & 0 \\ 0 & 6 & 0 \\ 0 & 0 & 1 \end{bmatrix}, \quad A_1 = \begin{bmatrix} 1 & -6 & 0 \\ 2 & -7 & 0 \\ 0 & 0 & 0 \end{bmatrix}, \quad A_0 = I.$$

The six eigenpairs  $(\lambda_k, x_k)$ ,  $k = 1: 6$ , are given by

$k$	1	2	3	4	5	6
$\lambda_k$	1/3	1/2	1	$i$	$-i$	$\infty$
$x_k$	$\begin{bmatrix} 1 \\ 1 \\ 0 \end{bmatrix}$	$\begin{bmatrix} 1 \\ 1 \\ 0 \end{bmatrix}$	$\begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}$	$\begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix}$	$\begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix}$	$\begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$

Note that  $x_1$  is an eigenvector for both of the distinct eigenvalues  $\lambda_1$  and  $\lambda_2$ .

**QEP2** {pep,qep,real,solution}. This is the  $3 \times 3$  quadratic matrix polynomial [80, p. 256]

$$Q(\lambda) = \lambda^2 \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix} + \lambda \begin{bmatrix} -2 & 0 & 1 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} + \begin{bmatrix} 1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & 1 \end{bmatrix}.$$

The eigenvalues are  $\lambda_1 = -1$ ,  $\lambda_2 = \lambda_3 = \lambda_4 = 1$ , and  $\lambda_5 = \lambda_6 = \infty$ . The Jordan structure is given by

$$X_F = \begin{bmatrix} 0 & 0 & 1 & 0 \\ 1 & 1 & 0 & 1 \\ 0 & 0 & 0 & 0 \end{bmatrix}, \quad J_F = \text{diag} \left( -1, 1, \begin{bmatrix} 1 & 1 \\ 0 & 1 \end{bmatrix} \right)$$

for the finite eigenvalues and and

$$X_\infty = \begin{bmatrix} 0 & -1 \\ 0 & 0 \\ 1 & 1 \end{bmatrix}, \quad J_\infty = \begin{bmatrix} 0 & 1 \\ 0 & 0 \end{bmatrix}$$

for the infinite eigenvalues (see [31] or [80, Sec. 3.6] for definitions of Jordan structure).

**QEP3** {pep,qep,real,parameter-dependent,solution}. This is a  $3 \times 3$  quadratic matrix polynomial  $Q(\lambda) = \lambda^2 A_2 + \lambda A_1 + A_0$  from [23, p. 89] with

$$A_2 = \begin{bmatrix} 1 & -1 & -1 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}, \quad A_1 = \begin{bmatrix} -3 & 1 & 0 \\ 0 & -1 - \epsilon & 0 \\ 0 & 0 & 1 \end{bmatrix}, \quad A_0 = \begin{bmatrix} 2 & 0 & 9 \\ 0 & 0 & 0 \\ 0 & 0 & -3 \end{bmatrix}.$$

The eigenpairs  $(\lambda_k, x_k)$ ,  $k = 1: 6$ , are given by

$k$	1	2	3	4	5	6
$\lambda_k$	0	1	$1 + \epsilon$	2	3	$\infty$
$x_k$	$\begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}$	$\begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$	$\begin{bmatrix} 1 \\ \frac{\epsilon-1}{\epsilon+1} \\ 0 \end{bmatrix}$	$\begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$	$\begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix}$	$\begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix}$

For the default value of the parameter,  $\epsilon = -1 + 2^{-53/2}$ , the first and third eigenvalues are ill conditioned.

**QEP4** {pep,qep,nonregular,nonsquare,real,solution}. This is the  $3 \times 4$  quadratic matrix polynomial [16, Ex.2.5]

$$Q(\lambda) = \lambda^2 \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} + \lambda \begin{bmatrix} 0 & 1 & 1 & 0 \\ 1 & 0 & 0 & 1 \\ 1 & 0 & 0 & 0 \end{bmatrix} + \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 1 \end{bmatrix}.$$

The eigensystem includes an eigenvalue  $\lambda_1 = 0$  with right eigenvectors  $[2 \ 1 \ 0 \ -1]^T$  and  $e_1$  and an eigenvalue  $\lambda = \infty$  with right eigenvector  $[0 \ 0 \ 1 \ 0]^T$ . The Jordan and Kronecker structure is fully described in [16, Ex. 2.5].

**Railtrack** {pep,qep,t-palindromic,sparse}. This is a T-palindromic quadratic matrix polynomial of size 1005:  $Q(\lambda) = \lambda^2 A^T + \lambda B + A$  with  $B = B^T$ . It stems from a model of the vibration of rail tracks under the excitation of high speed trains, discretized by classical mechanical finite elements [46], [47], [50], [63]. This problem has the property that the matrix  $A$  is of the form

$$A = \begin{bmatrix} 0 & 0 \\ A_{21} & 0 \end{bmatrix} \in \mathbb{C}^{1005 \times 1005},$$

where  $A_{21} \in \mathbb{C}^{201 \times 67}$ , that is,  $A$  has low rank ( $\text{rank}(A) = 67$ ). Hence this eigenvalue problem has many eigenvalues at zero and infinity.

**Railtrack2** {pep,qep,t-palindromic,sparse,scalable,parameter-dependent}. This is a T-palindromic quadratic matrix polynomial of size  $705m \times 705m$ :  $Q(\lambda) = \lambda^2 A^T + \lambda B + A$  with

$$A = \begin{bmatrix} 0 & \dots & 0 & H_1 \\ 0 & \dots & 0 & 0 \\ \vdots & & \vdots & \vdots \\ 0 & \dots & 0 & 0 \end{bmatrix}, \quad B = \begin{bmatrix} H_0 & H_1^T & & 0 \\ H_1 & H_0 & \ddots & \\ & \ddots & \ddots & H_1^T \\ 0 & & H_1 & H_0 \end{bmatrix} = B^T,$$

where  $H_0, H_1 \in \mathbb{C}^{705 \times 705}$  depend quadratically on a parameter  $\omega$ , whose default value is  $\omega = 1000$ . The default for the number of block rows and columns of  $A$  and  $B$  is  $m = 51$ . The structure of  $A$  implies that there are many eigenvalues at zero and infinity.

Like the problem Railtrack this problem is from a model of the vibration of rail tracks, but here triangular finite elements are used for the discretization [20], [37], [48]. The parameter  $\omega$  denotes the frequency of the external excitation force.

**Relative pose 5pt** {pep,real}. The cubic matrix polynomial  $P(\lambda) = \lambda^3 A_3 + \lambda^2 A_2 + \lambda A_1 + A_0$   $A_i \in \mathbb{R}^{10 \times 10}$  comes from the five point relative pose problem in computer vision [57]. In this problem the images of five unknown scene points taken with a camera with a known focal length from two distinct unknown viewpoints are given and it is required to determine the possible solutions for the relative configuration of the points and cameras. The matrix  $A_3$  has one nonzero column,  $A_2$  has 3 nonzero columns and rank 3,  $A_1$  has 6 nonzero columns and rank 6, while  $A_0$  is of full rank. The solutions to the problem are obtained from the last three components of the finite eigenvectors of  $P$ .

**Relative pose 6pt** {pep,qep,real}. The quadratic matrix polynomial  $P(\lambda) = \lambda^2 A_2 + \lambda A_1 + A_0$ , where  $A_i \in \mathbb{R}^{10 \times 10}$ , comes from the six point relative pose problem in computer vision [57]. In this problem the images of six unknown scene points taken with a camera of unknown focal length from two distinct unknown camera viewpoints are given and it is required to determine the possible solutions for the relative configuration of the points and cameras. The solutions to the problem are obtained from the last three components of the finite eigenvectors of  $P$ .

**Schrodinger** {pep,qep,real,symmetric,sparse}. The spectrum of this matrix polynomial is the second order spectrum, relative to a subspace  $\mathcal{L} \subset H^2(\mathbb{R})$ , of the Schrödinger operator  $Hf(x) = f''(x) + (\cos(x) - e^{-x^2})f(x)$  acting on  $L^2(\mathbb{R})$  [12]. The subspace  $\mathcal{L}$  has been generated using fourth order Hermite elements on a uniform mesh on the interval  $[-49, 49]$ , subject to clamped boundary conditions. The corresponding quadratic matrix polynomial is given by  $K - 2\lambda C + \lambda^2 B$  where

$$K_{jk} = \langle Hb_j, Hb_k \rangle, \quad C_{jk} = \langle Hb_j, b_k \rangle \quad \text{and} \quad B_{jk} = \langle b_j, b_k \rangle.$$

Here  $\{b_k\}$  is a basis of  $\mathcal{L}$ . The matrices are of size 1998.

The essential spectrum of  $H$  consists of a set of bands separated by gaps. The end points of these bands are the Mathieu characteristic values. The presence of the short-range potential gives rise to isolated eigenvalues of finite multiplicity. The portion of the second order spectrum that lies in the box  $[-1/2, 2] \times [-10^{-1}, 10^{-1}]$  is very close to the spectrum of  $H$ .

**Shaft** {pep,qep,real,symmetric,sparse}. The quadratic matrix polynomial  $Q(\lambda) = \lambda^2 M + \lambda C + K$ , with  $M, C, K \in \mathbb{R}^{400 \times 400}$ , comes from a finite element model of a shaft on bearing supports with a damper [55, Ex. 5.6]. The matrix  $M$  has rank 199 and so contributes a large number of infinite eigenvalues.  $C$  has a single nonzero element, in the (20, 20) position. The coefficients  $M$ ,  $C$  and  $K$  are very sparse.

**Sign1** {pep,qep,hermitian,parameter-dependent,scalable}. The spectrum of this quadratic matrix polynomial is the second order spectrum of the linear operator  $Mf(x) = \text{sign}(x)f(x) + a\hat{f}(0)$  acting on  $L^2(-\pi, \pi)$  with respect to the Fourier basis  $\mathcal{B}_n = \{e^{-inx}, \dots, 1, \dots, e^{inx}\}$ , where  $\hat{f}(0) = (1/2\pi) \int_{-\pi}^{\pi} f(x) dx$  [10]. The corresponding QEP is given by  $K_n - 2\lambda C_n + \lambda^2 I_n$  where

$$K_n = \Pi_n M^2 \Pi_n, \quad C_n = \Pi_n M \Pi_n$$

and  $I_n$  is the identity matrix of size  $2n + 1$ . Here  $\Pi_n$  is the orthogonal projector onto  $\text{Span}(\mathcal{B}_n)$ .

As  $n$  increases, the limit set of the second order spectrum is the unit circle, together with two real points:  $\lambda_{\pm}$ . The intersection of this limit set with the real line is the spectrum of  $M$ . The points  $\lambda_{\pm}$  comprise the discrete spectrum of  $M$ .

**Sign2** {pep,qep,hermitian,parameter-dependent,scalable}. This problem is analogous to problem Sign1, the only difference being that the operator is  $Mf(x) = (2 \sin(x) + \text{sign}(x))f(x) + a\hat{f}(0)$ .

Near the real line, the second order spectrum accumulates at  $[-3, -1] \cup [1, 3] \cup \{\lambda_{\pm}\}$  as  $n$  increases. The two accumulation points  $\lambda_{\pm} \approx \{-0.7674, 3.5796\}$  are the discrete spectrum of  $M$ .

**Sleeper** {pep,qep,real,symmetric,scalable,proportionally-damped,solution}. This QEP describes the oscillations of a rail track resting on sleepers [59]. The QEP has the form

$$Q(\lambda) = \lambda^2 I + \lambda(I + A^2) + A^2 + A + I,$$

where  $A$  is the circulant matrix with first row  $[-2, 1, 0, \dots, 0, 1]$ . The eigenvalues of  $A$  and corresponding eigenvectors are explicitly given as

$$\mu_k = -4 \sin^2 \left( \frac{(k-1)\pi}{n} \right), \quad x_k(j) = \frac{1}{\sqrt{n}} \exp \left( \frac{-2i\pi(j-1)(k-1)}{n} \right), \quad k = 1 : n.$$

The eigenvalues of  $Q$  can be determined from the scalar equations

$$\lambda^2 + \lambda(1 + \mu_k^2) + (1 + \mu_k + \mu_k^2) = 0.$$

Due to the symmetry, manifested in  $\sin(\pi - \theta) = \sin(\theta)$ , there are several multiple eigenvalues.



**Speaker box** `{pep,qep,real,symmetric}`. The quadratic matrix polynomial  $Q(\lambda) = \lambda^2 M + \lambda C + K$ , with  $M, C, K \in \mathbb{R}^{107 \times 107}$ , is from a finite element model of a speaker box that includes both structural finite elements, representing the box, and fluid elements, representing the air contained in the box [55, Ex. 5.5]. The matrix coefficients are highly structured and sparse. There is a large variation in the norms:  $\|M\|_2 = 1$ ,  $\|C\|_2 = 5.7 \times 10^{-2}$ ,  $\|K\|_2 = 1.0 \times 10^7$ .

**Spring** `{pep,qep,real,symmetric,proportionally-damped,parameter-dependent,scalable}`. This is a QEP  $Q(\lambda)x = (\lambda^2 M + \lambda C + K)x = 0$  arising from a linearly damped mass-spring system [77]. The damping constants for the dampers and springs connecting the masses to the ground, and those for the dampers and springs connecting adjacent masses, are parameters. For the default choice of the parameters, the  $n \times n$  matrices  $K$ ,  $C$ , and  $M$  are

$$M = I, \quad C = 10T, \quad K = 5T, \quad T = \begin{bmatrix} 3 & -1 & & & \\ -1 & \ddots & \ddots & & \\ & \ddots & \ddots & -1 & \\ & & & -1 & 3 \end{bmatrix}.$$

**Spring dashpot** `{pep,qep,real,parameter-dependent,scalable}`. Gotts [32] describes a QEP arising from a finite element model of a linear spring in parallel with Maxwell elements (a Maxwell element is a spring in series with a dashpot). The quadratic matrix polynomial is  $Q(\lambda) = \lambda^2 M + \lambda D + K$ , where the mass matrix  $M$  is rank deficient and symmetric, the damping matrix  $D$  is rank deficient and block diagonal, and the stiffness matrix  $K$  is symmetric and has arrowhead structure. This example reflects the structure only, since the matrices themselves are not from a finite element model but randomly generated to have the desired properties of symmetry etc. The matrices have the form

$$M = \text{diag}(\rho \tilde{M}_{11}, 0), \quad D = \text{diag}(0, \eta_1 \tilde{K}_{11}, \dots, \eta_m \tilde{K}_{m+1, m+1}),$$

$$K = \begin{bmatrix} \alpha_\rho \tilde{K}_{11} & -\xi_1 \tilde{K}_{12} & \dots & -\xi_m \tilde{K}_{1, m+1} \\ -\xi_1 \tilde{K}_{12} & e_1 \tilde{K}_{22} & 0 & 0 \\ \vdots & 0 & \ddots & 0 \\ -\xi_m \tilde{K}_{1, m+1} & 0 & 0 & e_m \tilde{K}_{m+1, m+1} \end{bmatrix},$$

where  $\tilde{M}_{ij}$  and  $\tilde{K}_{ij}$  are element mass and stiffness matrices,  $\xi_i$  and  $e_i$  measure the spring stiffnesses, and  $\rho$  is the material density.

**Surveillance** `{pep,qep,real,nonsquare,nonregular}`. This is a  $21 \times 16$  quadratic matrix polynomial  $Q(\lambda) = \lambda^2 A_2 + \lambda A_1 + A_0$  arising from calibration of a surveillance camera using a human body as a calibration target [71]. The eigenvalue represents the focal length of the camera. This particular data set is synthetic and corresponds to a  $600 \times 400$  pixel camera.

**Wing** `{pep,qep,real}`. This example is a  $3 \times 3$  quadratic matrix polynomial  $Q(\lambda) = \lambda^2 A_2 + \lambda A_1 + A_0$  from [30, Sec. 10.11], with numerical values modified as in [58, Sec. 5.3]. The eigenproblem for  $Q(\lambda)$  arose from the analysis of the oscillations of a wing in an airstream. The matrices are

$$A_2 = \begin{bmatrix} 17.6 & 1.28 & 2.89 \\ 1.28 & 0.824 & 0.413 \\ 2.89 & 0.413 & 0.725 \end{bmatrix}, \quad A_1 = \begin{bmatrix} 7.66 & 2.45 & 2.1 \\ 0.23 & 1.04 & 0.223 \\ 0.6 & 0.756 & 0.658 \end{bmatrix},$$

$$A_0 = \begin{bmatrix} 121 & 18.9 & 15.9 \\ 0 & 2.7 & 0.145 \\ 11.9 & 3.64 & 15.5 \end{bmatrix}.$$

**Wiresaw1** {pep,qep,real,t-even,gyroscopic,parameter-dependent,scalable}. This gyroscopic QEP arises in the vibration analysis of a wiresaw [82]. It takes the form  $Q(\lambda)x = (\lambda^2 M + \lambda C + K)x = 0$ , where the  $n \times n$  coefficient matrices are defined by

$$M = I_n/2, \quad K = \text{diag} \left( j^2 \pi^2 (1 - v^2)/2 \right)_{1 \leq j \leq n},$$

and

$$C = -C^T = (c_{jk}), \quad \text{with} \quad c_{jk} = \begin{cases} \frac{4jk}{j^2 - k^2}v, & \text{if } j + k \text{ is odd,} \\ 0, & \text{otherwise.} \end{cases}$$

Here,  $v$  is a real nonnegative parameter corresponding to the speed of the wire. Note that for  $0 < v < 1$ ,  $K$  is positive definite and the quadratic

$$G(\lambda) := -Q(-i\lambda) = \lambda^2 M + \lambda(iC) - K$$

is hyperbolic (but not overdamped).

**Wiresaw2** {pep,qep,real,parameter-dependent,scalable}. When the effect of viscous damping is added to the problem in **Wiresaw1**, the corresponding quadratic has the form [82]

$$\tilde{Q}(\lambda) = \lambda^2 M + \lambda(C + \eta I) + K + \eta C,$$

where  $M$ ,  $C$ , and  $K$  are the same as in **Wiresaw1** and the damping parameter  $\eta$  is real and nonnegative.

## 4 Design of the Toolbox

The problems in the NLEVP collection are accessed via a single MATLAB function `nlevp`, which is modelled on the MATLAB `gallery` function. This function calls those that actually generate the problems, which reside in a `private` directory located within the `nlevp` directory. This approach avoids the problem of name clashes with existing MATLAB functions and also provides an elegant interface to the collection.

All problems are invoked with same syntax, which returns the coefficient matrices defining the problem (as specified in Section 2.1) in a cell array. To illustrate, the following example sets up the `Omniscam2` problem, finds its eigenvalues and eigenvectors with `polyeig`, and then prints the largest modulus of the eigenvalues:

```
>> coeffs = nlevp('omnicam2')
coeffs =
    [15x15 double]    [15x15 double]    [15x15 double]
>> [X,e] = polyeig(coeffs{:}); max(abs(e))
ans =
    3.6351e-001
```

The nonlinear function  $F(\lambda)$  in (3) can be evaluated by calling `nlevp` with `eval` as its first argument. This is useful for evaluating the residual of an approximate eigenpair, for example:

```
>> lam = e(end); x = X(:,end); Fx = nlevp('eval','omnicam2',lam)*x; norm(Fx)
ans =
    5.8137e-032
```

The second output argument from `nlevp` is a function handle that enables the nonlinear scalar functions  $f_i(\lambda)$  in (3) and their derivatives to be evaluated. This facilitates the use of numerical methods that require derivatives, especially for the non-polynomial problems, for which obtaining the derivatives can be nontrivial. For example, the following code evaluates  $f_i(0.5)$ ,  $i = 1:3$ , and the first two derivatives (denoted `fp`, `fpp`), for the `Fiber` problem:

```

>> [coeffs,fun] = nlevp('fiber');
>> [f,fp,fpp] = fun(0.5)
f =
    1.0000e+000  -5.0000e-001  -7.0746e-001
fp =
         0  -1.0000e+000  -7.0725e-001
fpp =
         0         0   7.0696e-001

```

Problems and their properties are stored in a simple database made from cell arrays. The database is accessed with the `query` function in the `private` directory, which is invoked using the `query` argument to `nlevp`. For example, the properties for the Butterfly problem are returned in a cell array by the following call (whose syntax illustrates the command/function duality of MATLAB [39, Sec. 7.5]):

```

>> nlevp query butterfly
ans =
    'pep'
    'real'
    'parameter-dependent'
    'T-even'
    'scalable'

```

A more sophisticated example finds the names of all PEPs of degree 3 or higher:

```

>> pep = nlevp('query','pep'); qep = nlevp('query','qep');
>> pep_cubic_plus = setdiff(pep,qep)
pep_cubic_plus =
    'butterfly'
    'orr_sommerfeld'
    'plasma_drift'
    'relative_pose_5pt'

```

The cell array `pep_cubic_plus` can then easily be used to extract these problems. For example, the first problem in `pep_cubic_plus` can be solved using

```
coeffs = nlevp(pep_cubic_plus{1}); [X,e] = polyeig(coeffs{:});
```

Table 5–10 were generated automatically in MATLAB using appropriate `nlevp('query',...)` calls.

The toolbox function `nlevp_example.m` provides a test that the toolbox is correctly installed. It solves all the PEPs in the collection of dimension less than 500 using MATLAB's `polyeig` and then plots the eigenvalues. It produces Figure 1 and output to the command window that begins as follows:

```

NLEVP contains 46 problems in total,
of which 42 are polynomial eigenvalue problems (PEPs).
Run POLYEIG on the PEP problems of dimension at most 500:

```

Problem	Dim	Max and min magnitude of eigenvalues
-----	---	-----
acoustic_wave_1d	10	3.14e+000, 4.59e-001
acoustic_wave_2d	30	2.61e+000, 6.83e-001
bicycle	2	1.41e+001, 3.23e-001
bilby	5	Inf, 3.92e-016
butterfly	64	2.01e+000, 3.59e-001
cd_player	60	1.87e+006, 2.23e-004
closed_loop	2	1.07e+000, 3.31e-001
concrete	2472	is a PEP but is too large for this test.
...		




Figure 1: Eigenvalue plots for PEP problems produced by `nlevp_example.m`.

The `nlevp_example.m` function can be used as a template by the user wishing to test a given solver on subsets of the NLEVP problems.

The toolbox function `nlevp_test.m` automatically tests that the problems in the collection have the claimed properties. It is primarily intended for use by the developers as new problems are added, but it can also be used as a test for correctness of the installation. While many of the tests are straightforward, some are less so. For example, we test for hyperbolicity of a Hermitian matrix polynomial by computing the eigensystem and checking the types of the eigenvalues, using a characterization in [1, Thm. 3.4, P1]. To test for proportional damping we use necessary and sufficient conditions from [60, Thms. 2, 4]. We reproduce part of the output:

```
>> nlevp_test
Testing the NLEVP collection
Testing generation of all problems
Testing T-palindromicity
Testing *-palindromicity
...
Testing proportionally damping
Testing given solutions
NLEVP collection tests completed.
*** Errors: 0
```

## 5 Conclusions

The NLEVP collection demonstrates the tremendous variety of applications of nonlinear eigenvalue problems and provides representative problems for testing, provided in the form of a MATLAB toolbox. Version 1.0 of the toolbox was released in 2008 and the current version is 2.0. The toolbox has already proved useful in our own work and that of others [2], [6], [8], [34], [36], [53], [78] and we hope it will find broad use in developing, testing, and comparing new algorithms. By classifying important structural properties of nonlinear eigenvalue problems, and providing examples of these structures, this work should also be useful in guiding theoretical developments.

## Acknowledgements

We are grateful to the following people for contributing to the collection:

Maha Al-Ammari, Younes Chahlaoui, and Christopher Munro (The University of Manchester), Zhaojun Bai (University of California, Davis), Lyonell Boulton (Heriot-Watt University), Marlis Hochbruck and Dominik Löchel (Karlsruhe Institute of Technology), Tsung-Ming Huang (National Taiwan Normal University), Xin Huang and Yangfeng Su (Fudan University), Zuzana Kukulova (Czech Technical University), Branislav Mičušík (Austrian Institute of Technology), Valeria Simoncini (University of Bologna), Nils Wagner (University of Stuttgart).

## References

- [1] M. Al-Ammari and F. Tisseur. Hermitian matrix polynomials with real eigenvalues of definite type. Part I: Classification. *Linear Algebra Appl.*, 2010. In press, corrected proof.
- [2] J. Asakura, T. Sakurai, H. Tadano, T. Ikegami, and K. Kimura. A numerical method for polynomial eigenvalue problems using contour integral. *Japan J. Ind. Appl. Math.*, 27(1): 73–90, 2010.
- [3] Z. Bai, D. Day, J. Demmel, and J. Dongarra. A test matrix collection for non-Hermitian eigenvalue problems (release 1.0). Technical Report CS-97-355, Department of Computer Science, University of Tennessee, Knoxville, TN, USA, Mar. 1997. 45 pp. LAPACK Working Note 123.

- [4] N. G. Bean, L. Bright, G. Latouche, C. E. M. Pearce, P. K. Pollett, and P. G. Taylor. The quasi-stationary behavior of quasi-birth-and-death processes. *The Annals of Applied Probability*, 7(1):134–155, 1997.
- [5] A. Bellen, N. Guglielmi, and A. E. Ruehli. Methods for linear systems of circuit delay-differential equations of neutral type. *IEEE Trans. Circuits and Systems—I: Fundamental Theory and Applications*, 46(1):212–216, 1999.
- [6] T. Betcke. Optimal scaling of generalized and polynomial eigenvalue problems. *SIAM J. Matrix Anal. Appl.*, 30(4):1320–1338, 2008.
- [7] T. Betcke, N. J. Higham, V. Mehrmann, C. Schröder, and F. Tisseur. NLEVP: A collection of nonlinear eigenvalue problems. Users’ guide. MIMS EPrint 2010.99, Manchester Institute for Mathematical Sciences, The University of Manchester, UK, Nov. 2010. 7 pp.
- [8] T. Betcke and D. Kressner. Perturbation, extraction and refinement of invariant pairs for matrix polynomials. *Linear Algebra Appl.*, 2010. In press, corrected proof, DOI: 10.1016/j.laa.2010.06.029.
- [9] I. Bongartz, A. R. Conn, N. Gould, and P. L. Toint. CUTE: Constrained and unconstrained testing environment. *ACM Trans. Math. Software*, 21(1):123–160, 1995.
- [10] L. Boulton. Non-variational approximation of discrete eigenvalues of self-adjoint operators. *IMA J. Numer. Anal.*, 27(1):102–121, 2007.
- [11] L. Boulton and N. Boussaid. Non-variational computation of the eigenstates of Dirac operators with radially symmetric potentials. *LMS J. Comput. Math.*, 13:10–32, 2010.
- [12] L. Boulton and M. Levitin. On approximation of the eigenvalues of perturbed periodic Schrödinger operators. *J. Phys. A: Math. Theor.*, 40:9319–9329, 2007.
- [13] T. J. Bridges and P. J. Morris. Differential eigenvalue problems in which the parameter appears nonlinearly. *J. Comput. Phys.*, 55:437–460, 1984.
- [14] A. Bunse-Gerstner, R. Byers, V. Mehrmann, and N. K. Nichols. Feedback design for regularizing descriptor systems. *Linear Algebra Appl.*, 299:119–151, 1999.
- [15] R. Byers, C. He, and V. Mehrmann. Where is the nearest non-regular pencil? *Linear Algebra Appl.*, 285:81–105, 1998.
- [16] R. Byers, V. Mehrmann, and H. Xu. Trimmed linearizations for structured matrix polynomials. *Linear Algebra Appl.*, 429:2373–2400, 2008.
- [17] Y. Chahlaoui and P. M. Van Dooren. A collection of benchmark examples for model reduction of linear time invariant dynamical systems. MIMS EPrint 2008.22, Manchester Institute for Mathematical Sciences, The University of Manchester, UK, 2002. 26 pp.
- [18] Y. Chahlaoui and P. M. Van Dooren. Benchmark examples for model reduction of linear time-invariant dynamical systems. In P. Benner, V. Mehrmann, and D. C. Sorensen, editors, *Dimension Reduction of Large-Scale Systems*, volume 45 of *Lecture Notes in Computational Science and Engineering*, pages 380–392. Springer-Verlag, Berlin, 2005.
- [19] F. Chaitin-Chatelin and M. B. van Gijzen. Analysis of parameterized quadratic eigenvalue problems in computational acoustics with homotopic deviation theory. *Numer. Linear Algebra Appl.*, 13:487–512, 2006.
- [20] E. K.-W. Chu, T.-M. Hwang, W.-W. Lin, and C.-T. Wu. Vibration of fast trains, palindromic eigenvalue problems and structure-preserving doubling algorithms. *J. Comput. Appl. Math.*, 219(1):237–252, 2008.
- [21] T. A. Davis. University of Florida sparse matrix collection. <http://www.cise.ufl.edu/research/sparse/matrices/>.

- [22] T. A. Davis and Y. Hu. The University of Florida sparse matrix collection. Manuscript available at <http://www.cise.ufl.edu/research/sparse/matrices/>, 2010.
- [23] J.-P. Dedieu and F. Tisseur. Perturbation theory for homogeneous polynomial eigenvalue problems. *Linear Algebra Appl.*, 358:71–94, 2003.
- [24] J. E. Dennis, Jr., J. F. Traub, and R. P. Weber. The algebraic theory of matrix polynomials. *SIAM J. Numer. Anal.*, 13(6):831–845, 1976.
- [25] D. L. Donoho, A. Maleki, M. S. I. U. Rahman, and V. Stodden. Reproducible research in computational harmonic analysis. *Computing in Science and Engineering*, 11(1):8–18, 2009.
- [26] I. S. Duff, R. G. Grimes, and J. G. Lewis. Sparse matrix test problems. *ACM Trans. Math. Software*, 15(1):1–14, 1989.
- [27] R. J. Duffin. The Rayleigh-Ritz method for dissipative or gyroscopic systems. *Q. Appl. Math.*, 18:215–221, 1960.
- [28] H. Faßbender, N. Mackey, D. S. Mackey, and C. Schröder. Structured polynomial eigenproblems related to time-delay systems. *Electron. Trans. Numer. Anal.*, 31:306–330, 2008.
- [29] A. Feriani, F. Perotti, and V. Simoncini. Iterative system solvers for the frequency analysis of linear mechanical systems. *Computer Methods Appl. Mech. Engrg.*, 190:1719–1739, 2000.
- [30] R. A. Frazer, W. J. Duncan, and A. R. Collar. *Elementary Matrices and Some Applications to Dynamics and Differential Equations*. Cambridge University Press, 1938. xviii+416 pp. 1963 printing.
- [31] I. Gohberg, P. Lancaster, and L. Rodman. *Matrix Polynomials*. Society for Industrial and Applied Mathematics, Philadelphia, PA, USA, 2009. ISBN 0-898716-81-8. xxiv+409 pp. Unabridged republication of book first published by Academic Press in 1982.
- [32] A. Gotts. Report regarding model reduction, model compaction research project. Manuscript, University of Nottingham, Feb. 2005.
- [33] N. I. M. Gould, D. Orban, and P. L. Toint. CUTER and SifDec: A constrained and unconstrained testing environment, revisited. *ACM Trans. Math. Software*, 29(4):373–394, 2003.
- [34] L. Grammont, N. J. Higham, and F. Tisseur. A framework for analyzing non-linear eigenproblems and parametrized linear systems. *Linear Algebra Appl.*, 2010. doi:10.1016/j.laa.2009.12.038.
- [35] C.-H. Guo, N. J. Higham, and F. Tisseur. Detecting and solving hyperbolic quadratic eigenvalue problems. *SIAM J. Matrix Anal. Appl.*, 30(4):1593–1613, 2009.
- [36] C.-H. Guo, N. J. Higham, and F. Tisseur. An improved arc algorithm for detecting definite Hermitian pairs. *SIAM J. Matrix Anal. Appl.*, 31(3):1131–1151, 2009.
- [37] C.-H. Guo and W.-W. Lin. Solving a structured quadratic eigenvalue problem by a structure-preserving doubling algorithm. *SIAM J. Matrix Anal. Appl.*, 2010. To appear.
- [38] K. P. Hadeler. Mehrparametrische und nichtlineare Eigenwertaufgaben. *Arch. Rational Mech. Anal.*, 27(4):306–328, 1967.
- [39] D. J. Higham and N. J. Higham. *MATLAB Guide*. Society for Industrial and Applied Mathematics, Philadelphia, PA, USA, second edition, 2005. ISBN 0-89871-578-4. xxiii+382 pp.
- [40] N. J. Higham. Algorithm 694: A collection of test matrices in MATLAB. *ACM Trans. Math. Software*, 17(3):289–305, Sept. 1991.
- [41] N. J. Higham. *Functions of Matrices: Theory and Computation*. Society for Industrial and Applied Mathematics, Philadelphia, PA, USA, 2008. ISBN 978-0-898716-46-7. xx+425 pp.

- [42] N. J. Higham and H.-M. Kim. Numerical analysis of a quadratic matrix equation. *IMA J. Numer. Anal.*, 20(4):499–519, 2000.
- [43] N. J. Higham, D. S. Mackey, and F. Tisseur. Definite matrix polynomials and their linearization by definite pencils. *SIAM J. Matrix Anal. Appl.*, 31(2):478–502, 2009.
- [44] N. J. Higham, D. S. Mackey, F. Tisseur, and S. D. Garvey. Scaling, sensitivity and stability in the numerical solution of quadratic eigenvalue problems. *Internat. J. Numer. Methods Eng.*, 73(3):344–360, 2008.
- [45] N. J. Higham and F. Tisseur. More on pseudospectra for polynomial eigenvalue problems and applications in control theory. *Linear Algebra Appl.*, 351–352:435–453, 2002.
- [46] A. Hilliges. Numerische Lösung von quadratischen Eigenwertproblemen mit Anwendung in der Schienendynamik. Diplomarbeit, TU Berlin, 2004.
- [47] A. Hilliges, C. Mehl, and V. Mehrmann. On the solution of palindromic eigenvalue problems. In P. Neittaanmäki, T. Rossi, S. Korotov, E. Oñate, J. Périaux, and D. Knörzer, editors, *Proceedings of the European Congress on Computational Methods in Applied Sciences and Engineering (ECCOMAS 2004)*, Jyväskylä, Finland, 2004. <http://www.mit.jyu.fi/eccomas2004/proceedings/proceed.html>.
- [48] T.-M. Huang, W.-W. Lin, and J. Qian. Structure-preserving algorithms for palindromic quadratic eigenvalue problems arising from vibration of fast trains. *SIAM J. Matrix Anal. Appl.*, 30(4):1566–1592, 2008.
- [49] X. Huang, Z. Bai, and Y. Su. Nonlinear rank-one modification of the symmetric eigenvalue problem. *J. Comput. Math.*, 28(2):218–234, 2010.
- [50] I. C. F. Ipsen. Accurate eigenvalues for fast trains. *SIAM News*, 37(9):1–2, Nov. 2004.
- [51] T. Itoh. Damped vibration mode superposition method for dynamic response analysis. *Earthquake Engrg. Struct. Dyn.*, 2:47–57, 1973.
- [52] E. Jarlebring. *The Spectrum of Delay-Differential Equations: Numerical Methods, Stability and Perturbation*. PhD thesis, TU Braunschweig, Institut Computational Mathematics, Carl-Friedrich-Gauß-Fakultät, 38023 Braunschweig, Germany, 2008.
- [53] E. Jarlebring, W. Michiels, and K. Meerbergen. A linear eigenvalue algorithm for the nonlinear eigenvalue problem. Report TW580, Katholieke Universiteit Leuven, Heverlee, Belgium, Oct. 2010. 25 pp.
- [54] L. Kaufman. Eigenvalue problems in fiber optic design. *SIAM J. Matrix Anal. Appl.*, 28(1):105–117, 2006.
- [55] T. R. Kowalski. *Extracting a Few Eigenpairs of Symmetric Indefinite Matrix Pencils*. PhD thesis, Department of Mathematics, University of Kentucky, Lexington, KY 40506, USA, 2000.
- [56] V. N. Kublanovskaya. Methods and algorithms of solving spectral problems for polynomial and rational matrices. *Journal of Mathematical Sciences*, 96(3):3085–3287, 1999.
- [57] Z. Kukulova, M. Bujnak, and T. Pajdla. Polynomial eigenvalue solutions to the 5-pt and 6-pt relative pose problems. In M. Everingham, C. Needham, and R. Fraile, editors, *BMVC 2008: Proceedings of the 19th British Machine Vision Conference*, volume 1, pages 565–574, September 2008.
- [58] P. Lancaster. *Lambda-Matrices and Vibrating Systems*. Pergamon Press, Oxford, 1966. ISBN 0-486-42546-0. xiii+196 pp. Reprinted by Dover, New York, 2002.
- [59] P. Lancaster and Rózsa. The spectrum and stability of a vibrating rail supported by sleepers. *Computers Math. Applic.*, 31(4/5):201–213, 1996.



- [60] P. Lancaster and I. Zaballa. Diagonalizable quadratic eigenvalue problems. *Mechanical Systems and Signal Processing*, 23(4):1134–1144, 2009.
- [61] R. J. LeVeque. Python tools for reproducible research on hyperbolic problems. *Computing in Science and Engineering*, 11(1):19–27, 2009.
- [62] B.-S. Liao. *Subspace Projection Methods for Model Order Reduction and Nonlinear Eigenvalue Computation*. PhD thesis, Department of Mathematics, University of California at Davis, 2007.
- [63] D. S. Mackey, N. Mackey, C. Mehl, and V. Mehrmann. Structured polynomial eigenvalue problems: Good vibrations from good linearizations. *SIAM J. Matrix Anal. Appl.*, 28(4):1029–1051, 2006.
- [64] D. Manocha. Solving systems of polynomial equations. *IEEE Computer Graphics and Applications*, 14(2):46–55, 1994.
- [65] A. S. Markus. *Introduction to the Spectral Theory of Polynomial Operator Pencils*. American Mathematical Society, Providence, RI, USA, 1988. ISBN 0-8218-4523-3. iv+250 pp.
- [66] Matrix Market. <http://math.nist.gov/MatrixMarket/>.
- [67] V. Mehrmann and H. Voss. Nonlinear eigenvalue problems: A challenge for modern eigenvalue methods. *GAMM-Mitteilungen (GAMM-Reports)*, 27:121–152, 2004.
- [68] V. Mehrmann and D. Watkins. Polynomial eigenvalue problems with Hamiltonian structure. *Electron. Trans. Numer. Anal.*, 13:106–118, 2002.
- [69] J. P. Meijaard, J. M. Papadopoulos, A. Ruina, and A. L. Schwab. Linearized dynamics equations for the balance and steer of a bicycle: A benchmark and review. *Proc. Roy. Soc. London Ser. A*, 463(2084):1955–1982, 2007.
- [70] B. Mičušík and T. Pajdla. Estimation of omnidirectional camera model from epipolar geometry. In *IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'03)*. IEEE Computer Society, Los Alamitos, CA, USA, 2003.
- [71] B. Mičušík and T. Pajdla. Simultaneous surveillance camera calibration and foot-head homology estimation from human detections. In *IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR), San Francisco, USA*, 2010.
- [72] S. A. Orszag. Accurate solution of the Orr–Sommerfeld stability equation. *J. Fluid Mech.*, 50(4):689–703, 1971.
- [73] A. Ruhe. Algorithms for the nonlinear eigenvalue problem. *SIAM J. Numer. Anal.*, 10:674–689, 1973.
- [74] S. I. Solov'ëv. Preconditioned iterative methods for a class of nonlinear eigenvalue problems. *Linear Algebra Appl.*, 415:210–229, 2006.
- [75] A. Taylor and D. J. Higham. CONTEST: A controllable test matrix toolbox for MATLAB. *ACM Trans. Math. Software*, 35(4), 2009.
- [76] B. Thaller. *The Dirac Equation*. Springer-Verlag, Berlin, 1992.
- [77] F. Tisseur. Backward error and condition of polynomial eigenvalue problems. *Linear Algebra Appl.*, 309:339–361, 2000.
- [78] F. Tisseur, S. D. Garvey, and C. Munro. Deflating quadratic matrix polynomials with structure preserving transformations. *Linear Algebra Appl.*, 2010. In press, corrected proof, DOI: 10.1016/j.laa.2010.06.028.
- [79] F. Tisseur and N. J. Higham. Structured pseudospectra for polynomial eigenvalue problems, with applications. *SIAM J. Matrix Anal. Appl.*, 23(1):187–208, 2001.

- [80] F. Tisseur and K. Meerbergen. The quadratic eigenvalue problem. *SIAM Rev.*, 43(2):235–286, 2001.
- [81] M. Z. Tokar, F. A. Kelly, and X. Loozen. Role of thermal instabilities and anomalous transport in threshold of detachment and multifaceted asymmetric radiation from the edge (MARFE). *Physics of Plasmas*, 12(052510), 2005.
- [82] S. Wei and I. Kao. Vibration analysis of wire and frequency response in the modern wiresaw manufacturing process. *Journal of Sound and Vibration*, 231(5):1383–1395, 2000.